



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC BRIGHT	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p> <div style="text-align: right;"> </div> <p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Designer Satin, Bright, Bronze, Light Bronze, Pewter, Brushed Stainless, Onyx Black, Piano Black.
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC BRONZE	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.  <small>*dimensions prior to dressing down</small>	
	DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Bronze
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC BRUSHED STAINLESS	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p> <div style="text-align: right;">  </div>	
	<p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Brushed Stainless
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com

website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC DESIGNER SATIN	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p> <div style="text-align: right;"> </div> <p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Designer Satin
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC LIGHT BRONZE	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p>  <p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Light Bronze
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC ONYX	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p>  <p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Onyx
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC PEWTER	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p>  <p><small>*dimensions prior to dressing down</small></p>	
	<p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Pewter
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com


website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com



PRODUCT TECHNICAL DATA SHEET

Revised: May 2021

Catalogue Reference:	Feline A/12Z DHC PIANO BLACK	
Uniclass2015:	Pr_35_90_31_33 FLOOR THRESHOLD STRIPS	
General Description:	<p>ALUMINIUM TWIN TOP SINGLE COLLAPSIBLE LEG FLOORING PROFILE</p> <p>Joining profile for carpet to hard floor junctions with collapsible centre leg to accommodate minor differences in flooring levels. Protects the edges of materials from fraying/damage and has punched gripper in the base to hold the carpet.</p>  <p>DESIGNER HOME COLLECTION <i>DESIGNER HOME COLLECTION FOR DESIGNER FLOORS</i></p>	
Specifications:	Material	Aluminium Alloy 6063 T6
	Visible surface when installed	25mm
	External height	12mm - prior to dressing down
	Internal height	10.5mm - prior to dressing down
	Lengths available	2715mm, 1.800mm, 0.900mm
	Finishes available	Piano Black
	Standard supply	Pre-punched and drilled for size 6 screws. Fixings not supplied. Can also be nailed or adhesive fixed.
Application:	For stretch fit or stick down installation methods.	
Suitability:	Light contract and quality domestic installations.	

Post Consumer Recyclability: This product is 100% recyclable at suitable disposal centres.

C.A.T. LTD. Units 24A,B,C Park Avenue Estate, Luton Bedfordshire LU3 3BP. U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900

email: sales@cat-accs.com

website: www.thecatweb.com

Manufacturers Of The Finest Specialist Flooring Accessories
www.thecatweb.com